



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Typhoid fever—Annual case rates per 1,000 population, January to November, 1921 and 1920, and medians for the years 1913 to 1920, inclusive—Continued.*

Geographic division and State.	January, February, March.	April, May, June.	July.	August.	September.	October.	November.	11 months.
<b>MOUNTAIN—continued.</b>								
<b>Idaho:</b>								
1921.....	0.25	0.12	0.29	0.35	0.51	0.29	0.11	0.24
1920.....	.06	.36	.22	.63	.30	.22	.80	.31
Average (1913, 1920).....	.04	.24	.30	.71	.98	.44	.86	.37
<b>Wyoming:</b>								
1921.....	.46	.30	.77	1.01	.48	.24	.42	.47
1920.....	.24	.33	.43	.91	1.10	.73	.30	.47
Median (8 years).....	.09	.20	.33	.59	.79	.46	.20	.29
<b>Colorado:</b>								
1921.....	.13	.38	.35	1.10	1.16	.99	.81	.54
1920.....	.06	.15	.38	1.13	1.31	.84	.30	.42
Median (6 years).....	.11	.18	.60	1.05	1.29	.94	.39	.46
<b>New Mexico:</b>								
1921.....	.22	.30	.89	.85	2.07	2.43	1.58	.85
1920.....	.30	.56	1.39	.86	2.12	1.76	1.69	.95
Median <sup>1</sup> .....								
<b>Arizona:</b>								
1921.....	.01	.05	.20	.44	.31	.71	.31	.19
1920.....	.02	.11	1.09	.46	.42	.53	.14	.28
Median (1916, 1918, 1920).....	.04	.13	.92	.27	.38	.54	.15	.25
<b>PACIFIC.</b>								
<b>Washington:</b>								
1921.....	.16	.26	.56	.59	.59	.58	.28	.35
1920.....	.18	.15	.34	.66	.87	.64	.39	.35
Median (8 years).....	.29	.26	.53	.95	1.25	.90	.45	.52
<b>Oregon:</b>								
1921.....	.05	.05	.13	.28	.36	.40	.16	.15
1920.....	.08	.67	.06	.11	.36	.33	.21	.14
Median (8 years).....	.19	.15	.24	.40	.41	.54	.25	.26
<b>California:</b>								
1921.....	.15	.20	.36	.58	.38	.37	.25	.27
1920.....	.14	.32	.43	.54	.63	.44	.24	.33
Median (8 years).....	.24	.31	.60	.62	.53	.51	.32	.38
<b>TOTAL.</b>								
<b>Above States combined:</b>								
1921.....	.19	.29	.76	1.10	.93	.77	.40	.49
1920.....	.16	.27	.53	.70	.82	.66	.46	.40
Median.....	.29	.39	.88	1.20	1.31	.91	.56	.63

<sup>1</sup> Not available.

## DEATHS FROM INFLUENZA IN NINETY-SIX GREAT TOWNS OF ENGLAND AND WALES.

The following table shows the number of deaths attributed to influenza in Ninety-six Great Towns of England and Wales during the late fall and early winter months 1918-19 to 1921-22, inclusive. The figures are taken from the "Weekly Returns," issued by the Registrar General of England and Wales. The population of these towns collectively was given as 16,577,000 in 1917 and 18,555,000 in 1921.

*Number of deaths from influenza in Ninety-six Great Towns of England and Wales.*

Week ended—	Deaths.	Week ended—	Deaths.	Week ended—	Deaths.	Week ended—	Deaths.
<b>1918</b>		<b>1919</b>		<b>1920</b>		<b>1921</b>	
Oct. 12.....	647	Oct. 11.....	39	Oct. 9.....	33	Oct. 15.....	49
Oct. 19.....	1,887	Oct. 18.....	57	Oct. 16.....	34	Oct. 22.....	46
Oct. 26.....	4,482	Oct. 25.....	71	Oct. 23.....	39	Oct. 29.....	30
Nov. 2.....	7,412	Nov. 1.....	71	Oct. 30.....	35	Nov. 5.....	32
Nov. 9.....	7,559	Nov. 8.....	56	Nov. 6.....	29	Nov. 12.....	44
Nov. 16.....	5,916	Nov. 15.....	74	Nov. 13.....	42	Nov. 19.....	59
Nov. 23.....	5,106	Nov. 22.....	79	Nov. 20.....	60	Nov. 26.....	80
Nov. 30.....	5,119	Nov. 29.....	63	Nov. 27.....	69	Dec. 3.....	123
Dec. 7.....	3,574	Dec. 6.....	77	Dec. 4.....	65	Dec. 10.....	149
Dec. 14.....	1,885	Dec. 13.....	81	Dec. 11.....	61	Dec. 17.....	212
Dec. 21.....	1,015	Dec. 20.....	64	Dec. 18.....	75	Dec. 24.....	237
Dec. 28.....	581	Dec. 27.....	43	Dec. 25.....	81	Dec. 31.....	418
<b>1919</b>		<b>1920</b>		<b>1921</b>		<b>1922</b>	
Jan. 4.....	442	Jan. 3.....	52	Jan. 1.....	89	Jan. 7.....	807
Jan. 11.....	379	Jan. 10.....	73	Jan. 8.....	101	Jan. 14.....	1,240
Jan. 18.....	274	Jan. 17.....	62	Jan. 15.....	87	Jan. 21.....	1,404
Jan. 25.....	224	Jan. 24.....	85	Jan. 22.....	66	Jan. 28.....	1,419

**A HIGH DEATH RATE IN SCOTLAND.**

During the week ended January 21, 1922, 379 deaths from influenza were registered in sixteen principal towns of Scotland. The population of these towns collectively is given as 2,370,600. This gives an influenza death rate for the week, on an annual basis, of 8.33 per thousand population. One thousand nine hundred and thirty deaths from all causes were reported during the week, the crude death rate being 42.5 per thousand.

The Registrar General of Scotland, in the Weekly Return of Births, Deaths, and Marriages in the Principal Towns of Scotland (No. 3), says:

"The death rate for the week is 15.8 above that for the previous week, 22.3 above the mean of the rates for the three preceding weeks, and 25.9 above that for the corresponding week of last year. It is the highest Principal Town weekly death rate since that of the week ending 2nd March, 1895, which was 42.8. In the influenza epidemic of 1918-1919 the highest corresponding death rate was 40.0, and occurred in the week ending 1st March, 1919.

"In the individual towns the death rate ranged from 55.6 in Glasgow, 50.9 in Coatbridge, and 48.7 in Kirkcaldy, to 11.6 in Ayr, 17.3 in Motherwell and Wishaw, and 17.6 in Clydebank. In Dundee it was 41.1, in Edinburgh 35.1, in Falkirk 34.4, in Paisley 33.7, in Perth 33.2, in Hamilton 33.0, in Greenock 31.2, in Kilmarnock 29.0, in Dunfermline 25.4, and in Aberdeen 23.0. Compared with the returns for the previous week, the rate for Coatbridge shows an increase of 28.4, Kilmarnock of 24.6, Glasgow of 20.7, Hamilton of 19.8, Paisley of 17.7, Greenock of 16.5, and Edinburgh of 16.0. The only rate less than in the previous week is that for Perth, which was 33.2, or 17.4 less.

"Deaths from the principal epidemic diseases \* \* \* numbered 150. They are 44 more than in the previous week, and are equal to an annual death rate from these causes of 3.3 per thousand. These deaths include 2 from enteric fever, 88 from measles, 4 from